



SEALING SOLUTIONS COMPANY

SEALS CATALOG 2024

FOR DOORS

FOR ALUMINUM CONSTRUCTIONS

FOR FURNITURE CONSTRUCTIONS

FOR PVC CONSTRUCTIONS

FOR STRETCH CEILINGS

FOR SECTIONAL GARAGE DOORS





CONTENTS



ABOUT THE COMPANY

01

SEALS FOR DOORS

02

**SEALS FOR
ALUMINUM STRUCTURES**

03

**SEALS FOR
FURNITURE STRUCTURES**

04

**SEALS FOR
PVC CONSTRUCTIONS
ONE-COMPONENT**

05

**SEALS FOR
PVC CONSTRUCTIONS
TWO-COMPONENT
THREE-COMPONENT**

06

**SEALS
UNIVERSAL**

07

**SEALS
FOR STRETCH CEILINGS**

08

**SEALS
FOR SECTIONAL GARAGE DOORS**

09



ABOUT THE COMPANY

ASTERION company produces a wide range of one-, two- and three-component seals for: PVC structures, aluminum structures, metal and wooden doors, furniture production, etc.

The quality of ASTERION products is the main priority of our company. In this matter, paramount importance has raw materials and equipment used in production. We produce our own compound, guaranteeing compliance with all partner requirements for the finished product. Our production is completed with the equipment world brands. Therefore, we provide seals of consistently high quality, continuously monitoring technical characteristics of the product.

In the portfolio of offers ASTERION is available as a typical range of seals, numbering more than 120 options, and services for the design and creation of the design of the required seal with the subsequent its manufacture. At the same time, our company highly values the time of its partners, providing maximum comfortable service.

ASTERION production is a well-established mechanism, consisting of five different sections

01

**Raw material
development
department**

Development of the required composition of the material on request and according to customer requirements

02

**Production
of raw materials**

Production of raw materials (semi-finished products) according to the developed recipe

03

**Quality
control
laboratory**

Monitors each lot for compliance with the declared parameters:

- * residual deformation
- * relative elongation at break
- * tensile strength
- * resistance to ultraviolet light
- * Shore A and Shore D hardness
- * density
- * wear resistance (abrasion resistance)
- * humidity

04

**Technical
equipment
department**

Design and manufacture of technological equipment in accordance with the specified parameters of the customer


05

**Seal extrusion
department**


* production of a sealant with constant control of the geometrical sizes and functional indicators of a sealant

* packing of sealants in cardboard coils with winding length according to the order or segments of necessary length


COLORS BY RAL



WHITE



RAL 7035
Light gray




RAL 7040
Gray



RAL 9005
Black



RAL 1001
Beige




RAL 1014
Oak mocha



RAL 8024
Alder




RAL 8003
Brown



RAL 7024
Dark gray



RAL 7022
Anthracite




RAL 9004
Saxon oak



RAL 8028
Dark brown



RAL 1015
Birch



RAL 7044
Oak latte




RAL 9018
Light gray



RAL 8014
Dark brown



RAL 7047
Light gray












RAL 1011
Light brown












RAL 1019
Gray oak

* Color tolerance according L, A, B $\pm 3\%$ **Special requests for another colors can be discussed.










SEALS FOR DOORS







SEALS FOR DOORS












SEALS FOR DOORS












SEALS FOR DOORS












SEALS FOR ALUMINUM STRUCTURES



SEALS FOR ALUMINUM STRUCTURES












SEALS FOR ALUMINUM STRUCTURES







SEALS FOR FURNITURE STRUCTURES












SEALS FOR










FURNITURE STRUCTURES












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT






SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS ONE-COMPONENT












SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS












SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS












SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS












SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS












SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS




SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS




SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS





















SEALS FOR PVC CONSTRUCTIONS TWO-, THREECOMPONENTS

WINDING LENGTH - 900 m		
		
PVC WINDOWS SEAL	779	P3U779L1








WINDING LENGTH - 850 m		
		
PVC WINDOWS SEAL	839	P3R839L1

SEALS UNIVERSAL










SEALS UNIVERSAL













SEALS FOR STRETCH CEILINGS





SEALS FOR SECTIONAL GARAGE DOORS







SEALING SOLUTIONS COMPANY

Bohdan Khmelnitsky avenue 139, Dnipro, Ukraine
067 568 47 46

info@asterionplast.com
www.asterionplast.com



ВИСНОВОК
державної санітарно-епідеміологічної
експертизи № 12.2-18-1/282 від 14.01.2021